

*INDEX MAPS.*

**T. 5N, R. 2E. 2<sup>nd</sup> Mer.**

	200	200	199-201	199-201	199-201	199-201
203	6 221	5 218	4 214	3 210	2 207	1 199
	222	221	217	214	210	206
208	7 221	8 217	9 213	10 210	11 206	12 198
	222	221	217	213	209	206
202	18 220	17 216	16 213	15 209	14 205	13 198
	222	220	216	212	209	205
202	19 220	20 216	21 212	22 208	23 205	24 198
	223	219	215	212	208	204
202	30 219	29 215	28 211	27 208	26 204	25 197
	223	219	215	211	207	204
201	31 218	32 214	33 211	34 207	35 203	36 197
	195-196	195-196	195-196	195-196	195-196	195-197

**T. 6N, R. 2E. 2<sup>nd</sup> Mer.**

	231	230	230	230	229	229
132	6 230	5 227	4 233	3 230	2 236	1 229
	251	250	246	243	239	236
132	7 250	8 246	9 243	10 239	11 236	12 228
	261	249	246	242	239	235
132	18 249	17 245	16 242	15 238	14 235	13 228
	261	249	245	242	238	235
132	19 248	20 245	21 241	22 238	23 234	24 228
	252	248	245	241	237	234
231	30 248	29 244	28 241	27 237	26 234	25 227
	252	247	244	240	237	233
231	31 247	32 244	33 240	34 237	35 233	36 227
	225-226	225-226	225-226	225-226	225-227	225-227

(F) The figures on the lines refer to the page.

195

Township N. 5 North, Range N. D East 2<sup>nd</sup> Mer. Indiana

South Boundary

West 1<sup>st</sup> Mile on Random between Town 4 & 5 N. R. 2 E.  
 40.00 set temp.  $\frac{1}{2}$  mile post  
 80.00 set temp. Mile post  
 Land hilly, timber Oak &c.

West 2<sup>nd</sup> Mile on Random between Town 4 & 5 N. R. 2 E.  
 40.00 set temp.  $\frac{1}{2}$  mile post  
 75.50 a Brook 75 ft. wide C. S. South  
 80.00 set temp.  $\frac{1}{2}$  mile post. (Description omitted)

West 3<sup>rd</sup> Mile on Random between Town 4 & 5 N. R. 2 E.  
 40.00 set temp.  $\frac{1}{2}$  mile post  
 60.00 a Spring run 6 ft. wide C. S.  
 80.00 set temp. Mile post.  
 Good farming land, timber same

West 4<sup>th</sup> Mile on Random between Town 4 & 5 N. R. 2 E.  
 40.00 set temp.  $\frac{1}{2}$  mile post  
 80.00 set temp. Mile post. (Description omitted)

West 5<sup>th</sup> Mile on Random between Town 4 & 5 N. R. 2 E.  
 9.00 a Creek 100 ft. wide C. S. South  
 40.00 set temp.  $\frac{1}{2}$  mile post  
 80.00 set temp.  $\frac{1}{2}$  mile post.  
 Land the same, timber Oak, Beech, Poplar &c.

West 6<sup>th</sup> Mile on Random between Town 4 & 5 N. R. 2 E.  
 40.00 set temp.  $\frac{1}{2}$  mile post  
 71.25 fall south of the Town Corner. This mile over very  
 rich farming land, timber same, undg. spruce.

Variation 6. 10' East.

T5 N - R2 E, I.<sup>o</sup> Mer. Indiana

- East On true line S. boundary Sec. 31, T5 N. R2 E  
 31.25 Set the q<sup>r</sup>. Sec. post on true line from which  
     a Sugar 12 in. dia. bran N59 E17 lvs. dist. of  
     a Beech 6 "     N12 E23 "       
 31.25 Set a post Cor. to Sect. 31 & 32, from which  
     a Beech, 10 in. dia. bran N75 E. 17 lvs. dist. of  
     a do 10 "     N39 W20 "     .
- 

- East On the South boundary of Sec. 32, T5 N. R2 E.  
 40.00 Set the q<sup>r</sup>. Sec. post on true line from which  
     a Beech 10 in. dia. bran N24 W1 link dist. of  
     a do 12 "     N24 E26 lvs. "       
 80.00 Set a post Cor. to Sect. 32 & 33, from which  
     a W. Oak 10 in. dia. bran N81 E28 lvs. dist. of  
     a B. Oak 20 "     N70 W11 "     .
- 

- East On true line S. boundary of Sec. 33, T5 N. R2 E.  
 40.00 Set the q<sup>r</sup>. Sec. post on true line, from which  
     a Hickory 10 in. dia. bran N86 E12 lvs. dist. of  
     a W. Oak 12 "     N12 E22 "       
 80.00 Set a post Cor. to Sect. 33 & 34, from which  
     a Beech 10 in. dia. bran N23 E4 lvs. dist. of  
     a do 8 "     N79 W20 "     .
- 

- East On true line S. boundary Sec. 34, T5 N. R2 E  
 40.00 Set the q<sup>r</sup>. Sec. post on true line from which  
     a Beech 20 in. dia. bran N84 E24 lvs. dist. of  
     a Dogwood 8 "     N68 W22 "       
 80.00 Set a post Cor. to Sect. 34 & 35, from which  
     a Sugar 10 in. dia. bran N64 E10 lvs. dist. of  
     a Beech 12 "     N67 W6 "     .
- 

- East On true line S. boundary of Sec. 35, T5 N. R2 E

191

55 N - 1/2 E. I.<sup>rd</sup> Mer. Indiana

- 40.00 Set the q<sup>r</sup>. Sec. post on true line from which  
a Dogwood 6 in. dia. bran N 37° W 8 ft. dist. of  
a Beech 6 " " N 83° W 15 "
- 80.00 Set a post Cor. to Sect. 35 & 36, from which  
a Beech 6 in. dia. bran N 57° E 27 ft. dist. of  
a W. Walnut 12 " " J 30 E 9 "

- East On true line S. boundary of Sec. 36, 55 N. 1/2 E.
- 40.00 Set the q<sup>r</sup>. Sec. post on true line, from which  
a W. Oak 12 in. dia. bran N 21° W 7 ft. dist. of  
a Dogwood 5 " " N 80° E 43 "
- 80.00 to the Town Corner.

*East Boundary. var. 5° 00' E.*

- North On E. boundary of Sec. 36, 55 N. 1/2 E.
- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Poplar 20 in. dia. bran N 45° W 23 ft. dist. of  
a Beech 12 " " J 30 E 25 "
- 75.75 a Brook 10 ft. wide Cr. N. W.
- 80.00 Set a post Cor. to Sect. 35 & 36, from which  
a Beech 20 in. dia. bran N 10 E 13 ft. dist. of  
a Slo 11 " " N 57 E 11 "  
Sand / Broken timber Beech, Poplar &c.

*North On E. boundary of Sec. 25, 55 N. 1/2 E.*

- 23.70 a Sugar 10 in. dia.
- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Beech 14 in. dia. bran N 15° W 30 ft. dist. of  
a Slo 6 " " N 90° W 10 "
- 48.50 a Brook 20 ft. wide Cr. off.
- 60.00 a Gum 10 in. dia.
- 72.00 a Brook 20 ft. wide Cr. off.
- 80.00 Set a post Cor. to Sect. 24 & 25, from which

T 5 N. R 2 E 2<sup>nd</sup>. Mer. Indiana

a Beech 28 in. dia. bran \$16 9/14 lvs. dist. of  
a Sugar 10 " " " N 88 E 9 " .  
Land timber &c. same as on the last mile.

North On E. boundary of Sec. 24, T 5 N. R 2 E  
22. 90 a Poplar 36 in. dia.  
40. 00 Set the q. Sec. post, from which  
a Poplar 36 in. dia. bran South 18 lvs. dist. of  
a Beech 6 " " " N 63 E 4 " .  
80. 00 Set a post Cor. to Sec. 13 of 24, T 5 N. R 2 E. from  
which a Hickory 19 in. dia. bran N 88 E 8 lvs. dist. of  
a Sugar 8 " " " S 65 W 14 " .  
Land, timber &c. same as on the last mile.

North On E. boundary of Sec. 13, T 5 N. R 2 E.  
19. 38 a Brook 50 lvs. wide C. S. off.  
32. 50 a Dlo 10 " " " S. E.  
40. 00 Set the q. Sec. post, from which  
a Maple 8 in. dia. bran \$19 E 35 lvs. dist. of  
a Beech 8 " " " S 31 W 15 " .  
80. 00 Set a post Cor. to Sec. 12 of 13, from which  
a Beech 8 in. dia. bran \$19 W 13 lvs. dist. of  
a Dlo 8 " " " S 89 E 13 " .  
(Description omitted)

North On E. boundary of Sec. 12, T 5 N. R 2 E.  
40. 00 Set the q. Sec. post, from which  
a Beech 8 in. dia. bran N 68 E 3 lvs. dist. of  
a Dlo 8 " " " S 8 E 33 " .  
74. 00 a Brook 10 lvs. wide C. S. E.  
80. 00 Set a post Cor. to Sec. 18 of 12, from which  
a Beech 20 in. dia. bran \$6 E 50 lvs. dist. of  
a Dlo 20 " " " S 50 W 28 " .

55 N R2 E. I. Mer. Indiana

Land timber &c. same as on the last mile

North On E. boundary of Sec. 1, 55 N. R2 E.

40.00 Set tempf. of Sec. post, from which  
at Beech 18 in. dia. bran 185 W 3 bls. dist. of  
a do 6 " " 15 W 31 "

80.00 Set a post Cov. to Town 5 $\frac{1}{2}$  N. Range 2 $\frac{1}{2}$  E.

from which at Beech 28 in. dia. bran 185 E 23 bls. dist. of  
a do 15 " " 183 W 28 "

Land, timber &c. same as on the last mile.

North Boundary

West 1<sup>st</sup> mile on Random between Town 5 $\frac{1}{2}$  N. R2 E.

40.00 Set tempf.  $\frac{1}{2}$  mile post

80.00 Set tempf. Mile post

Land rolling, timber Beech, Poplar &c.

West 2<sup>d</sup> mile on Random between Town 5 $\frac{1}{2}$  N. R2 E.

40.00 Set tempf. of Sec. post

65.00 a Brook 20 bls. wide Cr. S. off.

80.00 Set tempf. Mile post

Land brushy and hilly, timber the same

West 3<sup>r</sup> mile on Random between T. 5 $\frac{1}{2}$  N. R2 E

12.00 a Brook 25 bls. wide Cr. N. W.

39.50 same 25 " " J. W.

40.00 Set tempf. of Sec. post

66.30 a Brook 12 bls. wide Cr. - at the bottom of which  
is soap stone

80.00 Set tempf. Mile post

Land timber &c. same as on the last mile

West 4<sup>th</sup> mile on Random between T. 5 $\frac{1}{2}$  N. R2 E.

T5 N R2 E. I. Mer. Indiana

40.00 Set tempf.  $\frac{1}{2}$  mile post

80.00 Set tempf. Mile post

Land Good for farming, timber, Beech,  
Sugar & Oak &c.

West 5<sup>th</sup> Mile On Random between T. 5 N. R2 E.

40.00 Set tempf.  $\frac{1}{2}$  mile post.

80.00 Set tempf. Mile post.

Land, timber &c. Same as on the last mile

West 6<sup>th</sup> Mile On Random betw. Town 5 N. R2 E.

26.00 at Brook 12 hrs. wide Cr. S.

40.00 Set tempf. q. Sec. post

63.57 Fall South of Town Corner

Land rich, timber, Sugar, Beech &c.

Variation 6. W. E.

East On true line. S. boundary of Sec. 31, T6 N. R2 E.

23.57 Set the q. Sec. post on the true line, from which  
a Beech 8 in. dia. bran N 39° 47' E. dist. of  
a Dog 8 " " " 169 M 36 " "

63.57 Set a post Cor. to Sec. 31 & 32, T6 N. R2 E. from which  
an Ironwood 6 in. dia. bran N 83° E 13' dist.  
a Dogwood 8 " " " 144 M 5 " "

East On true line S. boundary of Sec. 32, T6 N. R2 E.

40.00 Set the q. Sec. post on true line, from which  
a Sassafras 8 in. dia. bran S 80° E 27' dist.  
a Beech 12 " " " 169 M 8 " "

80.00 Set a post Cor. to Sec. 32 & 33, T6 N. R2 E. from which  
a Beech 12 in. dia. bran N 78° E 29' dist.  
a Dog 12 " " " 11 M E 7 " "

20.

55 N. R.R.E. I. Mer. Indiana

East On true line S. boundary of Sec. 33, T. 6 N. R.R. E.  
40.00 Set the qt. Sec. post on true line, from which  
a Beech 12 in. dia. bran N 43° W 21<sup>1</sup>/<sub>2</sub> br. dist. of  
a Gum 12 " " " N 53° E 9 " "  
80.00 Set a post Cor. to Sec. 33 & 34, T. 6 N. R.R. E., from which  
a Beech 12 in. dia. bran N 43° E 13<sup>1</sup>/<sub>2</sub> br. dist. of  
a Sugar 12 " " " N 71° W 32 " "

East On true line, S. boundary of Sec. 34, T. 6 N. R.R. E.  
40.00 Set the qt. Sec. post on true line, from which  
a W. Walnut 10 in. dia. bran N 28° E 9<sup>1</sup>/<sub>2</sub> br. dist. of  
a Sugar 10 " " " N 59° E 19 " "  
80.00 Set a post Cor. to Sec. 34 & 35, T. 6 N. R.R. E., from which  
a Beech 20 in. dia. bran N 59° E 14<sup>1</sup>/<sub>2</sub> br. dist. of  
a Do 10 " " " N 18° W 29 " "

East On true line S. boundy. of Sec. 35, T. 6 N. R.R. E.  
40.00 Set the qt. Sec. post, from which  
a Beech 12 in. dia. bran N 28° W 12<sup>1</sup>/<sub>2</sub> br. dist. of  
a Do - " " " N 77° W 37 " "  
80.00 Set a post Cor. to Sec. 35 & 36, T. 6 N. R.R. E. from which  
a Dogwood 6 in. dia. bran S 12° W 21<sup>1</sup>/<sub>2</sub> br. dist. of  
an Ironwood 6 " " " N 88° W 20 " "

East On true line, S. boundary of Sec 36, T. 6 N. R.R. E.  
40.00 Set the qt. Sec. post on true line, from which  
a Beech 10 in. dia. bran N 11° W 20<sup>1</sup>/<sub>2</sub> br. dist. of  
a Do 10 " " " N 28° 32 " "  
80.00 to the Town corner.

West Boundary var. 7.30° E.  
North On E. boundary of Sec. 36, 55 N. R.R. E.  
30.50 a Brook 10 br. wide C. L. Fresh.

S5 N. R2 E. 2<sup>d</sup> Mer. Indiana

- 40.00 At the q. Sec. post, from which  
a Beech 6 in. dia. bran S79 W6 1/2 hr. dist. of  
a loc 5 " " " N11 E13 " "  
77.00 a Brook 10 hrs. wide C.L. off.  
80.00 Set a post cor. to Sec. 25 & 36, S5 N. R2 E., from which  
a Beech 20 in. dia. bran S50 W25 hrs. dist. of  
a Sugar 10 " " " N53 E26 " "  
Over hilly rich land, timber Beech, Sugar, Poplar &c.

North On E. boundary of Sec. 25, S5 N. R2 E.

37.70 a Poplar 30 m. dia.

- 40.00 At the q. Sec. post, from which  
an Ash 12 in. dia. bran S77 W8 1/2 hr. dist. of  
a Sugar 8 " " " N69 W23 " "

46.70 a Beech 20 " .

60.20 a Spring run 10 hrs. wide C.L. N.W.

65.20 a Brook 12 hrs. wide C.L. N.W.

- 80.00 Set a post cor. to Sec. 24 & 25, S5 N. R2 E. from  
which a Beech 20 in. dia. bran N42 E19 1/2 hr. dist. of  
a Sugar 6 " " " N47 W28 " "

Land, timber &c. same as on the last mile

North On E. boundary of Sec 24, S5 N. R2 E.

36.00 a Brook 10 hrs. wide C.L. off.

- 40.00 At the q. Sec. post, from which  
a Walnut 6 in. dia. bran N10 E20 1/2 hr. dist. of  
a Beech 8 " " " N10 W15 " "

- 80.00 Set a post cor. to Sec. 13 & 24, S5 N. R2 E. from which  
a Dogwood 7 in. dia. bran N41 E21 1/2 hr. dist. of  
a Beech 6 " " " N20 W8 " "

Land, timber &c. same as on the last mile

North On E. boundary of Sec. 13, S5 N. R2 E.

203

15 N. R.R.E. 2<sup>nd</sup> Mer. Indiana

- 40.00 Set the gr. Sec. post, from which  
a Beech 6 in. dia. bran 15 ft 11 in. dist. of  
a Dogwood 8 " " " N 35 E 25 " "  
80.00 Set a post Cor. to Sec. 12 & 13, 15 N. R.R.E., from which  
a Sugar 20 in. dia. bran 16 ft 3 1/2 in. dist. of  
a Beech 10 " " " N 17 E 11 " "  
Land, timber &c. same as on the last mile
- 

North On E. boundary of Sec. 12, 15 N. R.R.E.

- 40.00 Set the gr. Sec. post, from which  
a Beech 10 in. dia. bran 13 ft 2 1/2 in. dist. of  
a Dog 8 " " " N 20 E 15 " "  
80.00 Set a post Cor. to Sec. 11 & 12, 15 N. R.R.E., from which  
a Poplar 8 in. dia. bran N 70 E 3 ft 1/2 in. dist. of  
a Dog 10 " " " N 36 E 11 " "  
Land, timber &c. same as on the last mile
- 

North On E. boundary of Sec. 1, 15 N. R.R.E.

- 40.00 Set the gr. Sec. post, from which  
a Beech 10 in. dia. bran N 51 W 17 in. dist. of  
an Elm 12 " " " N 66 E 18 " "  
55.00 a Brook 15 in. wide Cr. W.  
80.00 Set a post Cor. to Town 5 of 6 N. Range 10 1/2 E., from which  
a Beech 12 in. dia. bran N 50 W 7 in. dist. of  
a Dog 24 " " " N 16 E 26 " "  
Good land, timber: Ash, Walnut, Poplar &c. under the  
Spicerwood & Leatherwood.

*Surveyed in 1810 by Arthur Hinck, D.S.*

---

Subdivision.

North Between Sec. 35 & 36, 15 N. R.R.E.

- 40.00 Set the gr. Sec. post, from which  
a Dogwood 6 in. dia. bran N 78 E 3 ft 1/2 in. dist. of

224

55 N - R 2 E, 2<sup>d</sup>. Mer. Indiana

- a Poplar 10 in. dia. bran 187 ft 15 lvs. dist.  
 60.00 a Brook 12 lvs. wide Cr. N.  
 78.00 a do 30 lvs " " 1.9 ft.  
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
     an Elm 8 in. dia. bran 175 ft 24 lvs. dist. of  
     a Do 10 " " 120 ft 38 " "  
 Land hilly, timber Sugar, Beech, Oak & Hickory.
- 

- East On Random between Sec. 25 & 36, 55 N. R 2 E.
- 1.00 a Brook 30 lvs. wide Cr. S. W.  
 40.00 Set tempf. of. Sec. post  
 80.40 Intersected the E. boundary 12 lvs. S. of corner  
     Land, timber &c. same as on the last mile
- 

- West On true line between Sec. 25 & 36, 55 N. R 2 E
- 40.20 Set of. Sec. post at avg. dist. on true line, from  
     which an Elm 10 in. dia. bran 183 ft 17 lvs. dist. of  
     a Beech 10 " " 149 ft 27 " "  
 80.40 to Sec. Corner,
- 

- North Between Sec. 25 & 26, 55 N. R 2 E
- 35.00 a Poplar 30 in. dia.  
 40.00 Set the of. Sec. post, from which  
     a Beech 20 in. dia. bran 127 ft 38 lvs. dist. of  
     a Do 18 " " 110 ft 26 " "  
 80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which  
     a Dogwood 8 in. dia. bran 168 ft 17 lvs. dist. of  
     a Do 7 " " 19 ft 26 " "  
 Land, timber &c. same as on the last mile
- 

- East on Random between Sec. 24 & 25
- 40.00 Set tempf. of. Sec. post  
 80.00 Intersected the E. boundf. S. of the corner.

95 N - RD E. I. Mer. Indiana

205

Land timber &c. same as on the last mile

---

West On true line between Sec. 24 & 25  
40.00 Set q. sec. post at av. dist. on true line, from which  
a Beech 6 in. dia. bran. S 33° E 16 1/2 ft. dist. of  
a Do 10 " " " S 55° W 17 " "  
80.00 to Sec. Cor.

---

North Between Sec. 23 & 24, 95 N. R.R.E.

40.00 Set the q. sec. post, from which  
an Ironwood 6 in. dia. bran. N 10° E 19 ft. dist. of  
a Sycamore 24 " " " S 14° E 21 " "  
43.00 a Brook 5 ft. wide C. S. off.  
80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which  
an Elm 10 in. dia. bran. N 10° E 10 ft. dist. of  
a Beech 7 " " " S 24° E 8 " .  
Land hilly, timber the same

---

East On Random between Sec. 13 & 24, 95 N. R.R.E.

16.00 a Brook 10 ft. wide C. S. South

40.00 Set temp. q. sec. post

55.00 a Brook 40 ft. wide C. S. P.W.

80.50 Intersected the E. boundary 40 ft. S. of corner  
Land timber &c same as on the last mile

---

West On true line between Sec. 13 & 24, 95 N. R.R.E.

40.25 Set q. sec. post on true line at av. dist. from which  
a Beech 6 in. dia. bran. N 31° W 22 1/2 ft. dist. of  
a Do 12 " " " S 49° W 38 " .  
80.50 to Sec. Corner.

---

North Between Sec. 13 & 14, 95 N. R.R.E.

20.00 a Brook 10 ft. wide C. S. P.W.

S5 N - R2 E. 2<sup>nd</sup> Mer. Indiana

- 40.00 Set the qt. Sec. post, from which  
a B. Oak 10 in. dia. bran N88E10 lbr. dist.  
80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which  
a Poplar 12 in. dia. bran N88E19 lbr. dist. of  
a Sugar 6 " " N37E15 "  
Land timber &c. same as on the last mile
- 

- East On Random between Sec. 12 & 13, S5 N. R2 E.  
17.50 a Brook 12 lbr. wide C.S.  
40.00 Set tempy. qt. Sec. post  
80.76 Intersected the E. boundary 12 lbr. S. of corner  
Land timber &c. same as on the last mile
- 

- West On true line, between Sec. 12 & 13, S5 N. R2 E.  
40.38 Set the qt. Sec. post at avg. dist. from which  
a Sugar 6 in. dia. bran N50W12 lbr. dist. of  
a W. Ash 7 " " N19E10 " "  
80.76 to Sec. Corner.
- 

- North Between Sec. 11 & 12, S5 N. R2 E.  
40.00 Set the qt. Sec. post, from which  
a Hickory 6 in. dia. bran East 10 lbr. dist.  
80.00 Set a post Cor. to Sec. 11 & 12, from which  
a Beech 6 in. dia. bran N47W4 lbr. dist. of  
a Sugar 20 " " S22E21 " "  
Over very hilly Oak timbered land
- 

- East On Random between Sec. 11 & 12, S5 N. R2 E.  
40.00 Set tempy. qt. Sec. post  
79.95 Intersected the E. boundary 12 lbr. S. of corner  
Land, timber &c. same as on the last mile
- 

- West On true line between Sec. 11 & 12, S5 N. R2 E.

55 N - R. 2 E. 2<sup>nd</sup> Mer. Indiana 207

39.97 a Set q. Sec. post at ave. dist. from which  
a Beech 20 in. dia. bran. N 45 E 25 th. dist. of  
a do 8 " " N 30 W 5 " "  
79.95 to Sec. Corner.

---

North Between Sec. 1 & 2, 55 N. R. 2 E. 2<sup>nd</sup> Mer.  
40.00 Set the q. Sec. post, from which  
a Dogwood - in. dia. bran. N 30 E 11 th. dist. of  
a Beech 6 " " J 35 W 14 " "  
74.50 a Sugar 20 " .  
82.75 intersected the N. boundary 15 th. W. of corner  
Set a post cor. to Sec. 1 & 2, from which  
an Ironwood 6 in. dia. bran. S 54 W 6 th. dist. of  
a Beech 8 " " N 16 W 20 " "  
Over good farming land, timber Poplar, Beech &c.

---

North Between Sec. 34 & 35, 55 N. R. 2 E.  
9.00 a Brook 75 ft. wide C. S. E.  
35.00 a do 15 ft. " " S. W.  
40.00 Set the q. Sec. post, from which  
a Beech 20 in. dia. bran. N 45 E. 18 th. dist. of  
a Sugar 10 " " S 87 W 16 " "  
60.20 a Beech 15 " "  
80.00 Set a post cor. to Sec. 26, 27, 34 & 35, from which  
a Sugar 10 in. dia. bran. S 39 E 13 th. dist. of  
a do 10 " " N 36 W 2 " "  
Hilly land, timber Oak, Beech &c.

---

East On Random between Sec. 26 & 35, 55 N. R. 2 E.  
40.00 Set temp. q. Sec. post  
79.35 intersected the N & S. line 10 th. S. of the corner.  
Land hilly, timber Oak, hickory &c

---

75 N - R2E, 2<sup>o</sup> Mer. Indiana

West On true line between Sec. 26 & 35, 75 N. R2E  
 39.67 ft. dist. of. Sec. post at av. dist. from which  
 a Beech 8 in. dia. bran N61°W 26 lkr. dist. of  
 a do 8 " " N52°E 9 " "  
 79.35 to Sec. corner.

North Between Sec. 26 & 27, 75 N. R2E, 2<sup>o</sup> Mer.

40.00 Set the of. Sec. post, from which  
 an Elm 6 in. dia. bran N19°W 9 lkr. dist. of  
 a Beech 6 " " N61°E 17 " "

65.00 a W. Oak 20 in. dia.

80.00 Set a post Crt to Sec. 22, 23, 26 & 27, from which  
 a Beech 12 in. dia. bran S15°E 70 lkr. dist. of  
 a do 10 " " S10°W 26 " "

Land good for farming, timber Beech, Poplar, etc.

East On Random between Sec. 23 & 26, 75 N. R2E.

20.00 a Brook 40 ft. wide Cr. N.W.

36.00 Same 40 ft. wide S. W.

40.00 Set temp. of. Sec. post

79.10 intersected the N & S line 20 lkr. S. of the corner.  
 Land, timber &c. same as on the last mile.

West On true line between Sec. 23 & 26, 75 N. R2E.

39.55 Set of. Sec. post at av. dist. on true line, from which  
 a W. Oak 20 in. dia. bran S77°W 22 lkr. dist. of  
 a do 19 " " S19°E 21 " "

79.10 to Sec. corner.

North Between Sec. 22 & 23, 75 N. R2E

40.00 a Brook 20 lkr. wide Cr. N.W.

40.00 Set the of. Sec. post, from which  
 a Beech 10 in. dia. bran S76°E 74 lkr. dist. of

20

55 N - R. 2 E. 2<sup>nd</sup> Mer. Indiana

at Ironwood 8 N 30 E 2 3 lbs. dist.

- 80.00 Set a post Cor. to Sect. 14, 15, 22 & 23, from which  
 a W. Oak 8 in. dia. bran 167 & 9 lbs. dist. of  
 a Beech 8 " " 168 " " "  
 Land hilly, timber same.

East On Random between Sect. 14 & 23, 55 N. R. 2 E.

33.20 at Brook 10 lbs. wide E. S.

40.00 Set tempy. q. Sec. post

79.45 Intersected the N & S. line 12 lbs. N. of the corner  
 Land timber &c. same as on the last mile

West On true line, between Sect. 14 & 23, 55 N. R. 2 E.

39.72 1/2 Set q. Sec. post, from which

a W. Oak 10 in. dia. bran N 25 1/2 W 11 lbs. dist. of  
 a Chestnut 12 " " 185 & 19 " "

79.45 to Sec. corner.

North Between Sect. 14 & 15, 55 N. R. 2 E

40.00 Set the q. Sec. post, from which

at Beech 10 in. dia. bran N 27 1/2 W 7 lbs. dist. of  
 a Slo 8 " " 114 & 822 "

80.00 Set a post Cor. to Sect. 10, 11, 14 & 15, from which  
 a W. Oak 20 in. dia. bran N 87 1/2 W 14 lbs. dist. of  
 a Mulberry 10 " " 115 & 38 "

Land timber &c. same as on the last mile

East On Random between Sect. 14 & 15, 55 N. R. 2 E.

40.00 Set tempy. q. Sec. post.

79.80 Intersected the N & S. line 30 lbs. N. of the corner  
 Land level, timber Oak, Hickory, Beech &c.

West On true line between Sect. 14 & 15, 55 N. R. 2 E.

S5 N. R2 E. 2<sup>nd</sup> Mer. Indiana

- 39.90 Set q. Sec. post at adj. dist. on true line from which  
a W. Oak 10 in. dia. bran S76W51kr. dist. &  
a h. Oak 20 " " " N39W16".  
79.80 to Sec. Corner
- 

North Between Sec. 10 & N. S5 N. R2 E.

- 40.00 Set the q. Sec. post, from which  
a Sugar 24 in. dia. bran S34W43kr. dist. of  
a Beech 12 " " " N80E29".  
80.00 Set a post cor. to Sec. 2, 3, 10 & N., from which  
a Beech 20 in. dia. bran S14E27kr. dist. of  
a Dogwood 5 " " " N31W20".  
Land, timber &c. same as on the last mile
- 

East On Random between Sec. 2 & N. S5 N. R2 E.

- 40.00 Set temp. q. Sec. post  
79.92 Intersected the N & S. line 80kr. N. of the corner.  
Land timber &c. same as on the last mile.
- 

West On true line between Sec. 2 & N. S5 N. R2 E.

- 39.96 Set q. Sec. post at adj. dist. on true line, from which  
a Beech 8 in. dia. bran N17W17kr. dist. of  
a Hickory 18 " " " S2E17".  
79.92 to Sec. corner.
- 

North Between Sec. 2 & 3, S5 N. R2 E. 2<sup>nd</sup> Mer.

- 3.00 a Brook 10kr. wide C.S. W.  
26.50 a do 10kr. " " " N.W.  
40.00 Set the q. Sec. post, from which  
a Sugar 6 in. dia. bran S11E10kr. dist. of  
a Beech 9 " " " N88E22".  
76.50 a Brook 40kr. wide C.S. W.  
81.62 Intersected the N. Boundary 208kr. E. of post

24

15<sup>N</sup> R<sup>2</sup>E. 2<sup>nd</sup> Mer. Indiana

Set a post Cor. to Sec. 28 & 3, from which  
a Beech 6 in. dia. bran 13' W 7<sup>1/2</sup> ft. dist. of  
a do 5 " " 14' 8" 4"  
Land timber &c. same as on the last mile

North Between Sec. 33 & 34, 15<sup>N</sup>, R<sup>2</sup>E.

40.00 Set the q. Sec. post, from which  
a B. Walnut 20 in. dia. bran South 95 ft. dist. of  
80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which  
a Beech 10 in. dia. bran 14' 6" 6 ft. dist. of  
a do 34" " 18' 4" 36"  
This mile over good rich land, timber Poplar  
Ash, Beech &c.

East On Random between Sec. 27 & 34, 15<sup>N</sup>, R<sup>2</sup>E.

40.00 Set temp. q. Sec. post  
73.00 a Brook 50 ft. wide C. S.  
80.55 Intersected the N & S. line 48 ft. N. of the corner  
Land rolling, timber same as last mile

West On true line between Sec. 27 & 34, 15<sup>N</sup>, R<sup>2</sup>E.

40. 27 1/2 Set q. Sec. post at adj. dist. on true line from which  
an Elm 10 in. dia. bran 15' W 13 ft. dist. of  
a Beech 10 " " 18' 3" 19 "  
80. 55 to Sec. corner.

North Between Sec. 27 & 28, 15<sup>N</sup>, R<sup>2</sup>E.

40.00 Set the q. Sec. post, from which  
a Dogwood 6 in. dia. bran 15' E 10 ft. dist. of  
a Hickory 6 " " 17' 4" 19 " "  
80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which  
a Beech 20 in. dia. bran 15' 4" 13 ft. dist. of  
a do 20 " " 10' 7" "

912

S5 N. R2 E. I<sup>nd</sup>. Mer. Indiana

Land hilly, timber same as on the last mile

East On Random between Sec. 22 & 27

40.00 Set tempf. q. Sec. post

54.00 a Spring Cr. S.

67.00 a Brook 10 ltrs. wide Cr. S. E.

76.00 a do 50 " " South

80.20 Intersected the N & S. line 12 ltrs. N. of corner  
Land timber &c. Same as on the last mile

West On true line between Sec. 22 & 27, S5 N. R2 E.

40.10 Set q. Sec. post at avg. dist. on true line from which  
a Beech 10 in. dia. bran S69E26 ltrs. dist. of  
a do 20 " " S56W22 " "

80.20 to Sec. corner

North Between Sec. 21 & 22, S5 N. R2 E.

30.00 a Pine ridge Cliff of rocks

33.00 a Brook 50 ltrs. wide Cr. S. E.

40.00 Set the q. Sec. post, from which  
a Beech 6 in. dia. bran S26W15 ltrs. dist. of  
a do 12 " " N69E18 " .

45.00 Same brook 50 ltrs. wide Cr. S. E.

54.00 Same 50 " " S99

74.00 Same 50 " " S.E. high cliff of rocks

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which  
a Mulberry 6 in. dia. bran N98E20 ltrs. dist. of  
a Beech 24. " " S12E23 " "

Over rolling land, timber Oak, Beech &c.

East On Random between Sec. 15 & 22

40.00 Set tempf. q. Sec. post

66.50 a Brook 12 ltrs. wide Cr. S. E.

55 N. R.R.E. I<sup>2</sup>. Mer. Indiana <sup>213</sup>

80.00 Intersected the N.S. line 20<sup>th</sup> N. of corner  
Land rich & rolling

---

West On true line between Sec. 15 & 22

40.00 Set q. Sec. post, at av. dist. on true line from which  
an Elm 10 in. dia. bran N 4 W 4 lbs. dist. of  
a Hickory 8 " " " N 5 E 6 " "

80.00 to Sec. corner.

---

North Between Sec. 15 & 16, 55 N. R.R.E.

40.00 Set the q. Sec. post, from which  
a Beech 10 in. dia. bran N 1 W 13 lbs. dist. of  
a sugar 10 " " " S 3 W 16 " "

57.00 at Brook 10 lbs. wide C. S. H.

80.00 Set a post cor. to Sec. 9, 10, 15 & 16, from which  
an Ironwood 8 in. dia. bran N 8 E 9 lbs. dist. of  
a do 6 " " " N 29 W 9 " "  
Over hilly land, timber Beech, Poplar, underg. the  
Beech, Dogwood &c.

---

East On Random between Sec. 10 & 15

40.00 Set temp. q. Sec. post

80.00 Intersected the N.S. line 8<sup>th</sup> N. of corner  
Land, timber &c. same as on the last mile

---

West On true line between Sec. 10 & 15

40.00 Set q. Sec. post at av. dist. from which  
a Hickory 12 in. dia. bran N 45 W 2 lbs. dist. of  
a Dogwood 6 " " " N 72 - 20 " "

80.00 to Sec. corner.

---

North Between Sec. 9 & 10, 55 N. R.R.E.

40.00 Set the q. Sec. post, from which

95 N R 2 E. 2<sup>nd</sup> Mer. Indiana

a Beech - in. dia. bran 180 ft 21 lrs. dist. of  
an Elm 6 " " 133 ft 11 " "  
80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which  
a Sugar 6 in. dia. bran 144 ft 8 lrs. dist. of  
a Beech 8 " " 113 ft 11 " "  
Land, timber &c. same as on the last mile

East On Random between Sec. 3 & 10  
18.00 a Brook 15 lrs. wide S. E. N. W.  
40.00 Set tempf. of Sec. post  
80.00 Intersected the N.W. line 10 lrs. N. of corner.  
Land timber &c. same as on the last mile

West On true line between Sec. 3 & 10, 95 N. R 2 E.  
40.00 Set the gr. Sec. post, at avg. dist. from which  
a Sugar 12 in. dia. bran 177 ft 22 lrs. dist. of  
a Dogwood 6 " " 116 ft 5 " "  
80.00 to Sec. corner.

North Between Sec. 3 & 4, 95 N. R 2 E.  
1.00 a Brook 20 lrs. wide Course S. E.  
40.00 Set the gr. Sec. post, from which  
an Ironwood 6 in. dia. bran 125 ft 15 lrs. dist. of  
a Beech 20 " " 16 ft 27 " "  
47.00 a Brook 40 lrs. wide C. S. N. W.  
81.75 Intersected the N. boundary 175 lrs. E. of the  
corner, Set a post Cor. to Sec. 3 & 4, from which  
a Beech 10 in. dia. bran 118 ft 10 lrs. dist. of  
a Sugar 10 " " 13 ft 20 " "  
Land timber &c. same as on the last mile.

North Between Sec. 32 & 33, 95 N. R 2 E.  
40.00 Set the gr. Sec. post, from which

215

55 N R 2 E. 2<sup>nd</sup> Mer. Indiana

- in a brook 50 ly. S. W.  
40.00 Set the qt. Sec. post, from which  
a Lycamore 10 in. dia. bran 160 E 26 lvs. dist.  
80.00 Set a post Cor. to Sect. 28, 29, 32 & 33, from which  
a Hickory 10 in. dia. bran 137 E 15 lvs. dist. of  
a Beech 38 " " N 78 W 16 " "  
Land very hilly, timber Oak, Hickory, Beech &c.
- 

- East On Random between Sect. 28 & 33, 55 N. R 2 E.  
40.00 Set temply. qt. Sec. post  
43.00 a Brook 50 lvs. wide Cr. S.  
79.75 Intersected the N. & S. line 40 lvs. S. of corner.  
Land timber &c. same as on the last mile
- 

- West On true line between Sect. 28 & 33, 55 N. R 2 E.  
39.87 $\frac{1}{2}$  Set qt. Sec. post at avg. dist. on true line from which  
a Beech 6 in. dia. bran 170 E 4 lvs. dist. of  
a Sugar 12 " " 125 E 11 " "  
79.75 to the Sec. corner.
- 

- North Between Sect. 28 & 29, 55 N. R 2 E.  
33.90 a W. Oak 28 in dia.  
40.00 Set the qt. Sec. post, from which  
a Dogwood 6 in. dia. bran 134 E 11 lvs. dist. of  
a Dlo 5 " " N 51 W 17 " "  
80.00 Set a post Cor. to Sect. 20, 21, 28 & 29, from which  
a Beech 8 in. dia. bran 149 E 4 lvs. dist. of  
a Dlo 6 " " N 50 W 14 " "  
Land, timber &c. same as on the last mile
- 

- East On Random betw. Sect. 21 & 28, 55 N. R 2 E.  
40.00 Set temply. qt. Sec. post  
42.50 a Brook 50 lvs. wide Cr. S.  
65.00 a Dlo 9 lvs. " " S. W.

## S5 N R2 E. I. Mer. Indiana

80.00 Intersected the N & S. line 20<sup>th</sup> S. of the corner  
Land timber &c. same as on the last mile

West On the tree line betw. Sec. 21 & 28, S5 N, R2 E.  
40.00 Set q. Sec. post at av. dist. from which  
a Beech 6 in. dia. bran. N 68° E 9<sup>th</sup> dist. of  
a loc. 8 " " " J15 W 17 " "  
80.00 to Sec. Corner.

North Between Sec. 20 & 21, S5 N, R2 E  
35.00 a Brook 10<sup>th</sup> wide C. S.  
40.00 Set the q. Sec. post, from which  
a Beech 24 in. dia. bran. N 23° E 10<sup>th</sup> dist. of  
a Chestnut 12 " " " J3 E 29 " "  
80.00 Set a post Corner to Sec. 16 & 17, 20 & 21, from which  
a Beech 24 in. dia. bran. N 80° E 14<sup>th</sup> dist. of  
a Sugar 8 " " " J21 W 25 " "  
Land timber &c. same

East On Random between Sec. 16 & 21, S5 N, R2 E.  
37.25 a Brook 50<sup>th</sup> wide C. S.  
40.00 Set temp. q. Sec. post  
64.00 a Brook 10<sup>th</sup> wide C. S. J. W.  
79.00 Intersected the N & S. line, 20<sup>th</sup> S. of the corner.

West On tree line between Sec. 16 & 21, S5 N, R2 E.  
39.50 Set q. Sec. post at av. dist. from which  
a Beech 20 in. dia. bran. N 12° W 13<sup>th</sup> dist. of  
a Sugar 6 " " " J34 W 3 " "  
79.00 to Sec. Corner.

North Between Sec. 16 & 17, S5 N, R2 E.  
40.00 Set the q. Sec. post, from which

Comb

55 N - R.R.E. T.<sup>2</sup> Mer. Indiana 217

a Beech 10 in. dia. bears N 5 E. 35 lvs. dist. of  
This post stands on the N. side of a brook 10 lvs.  
Course N. E.

59.50 a Brook 12 lvs. wide Course E.

80.00 Set a post Cov. to Sec. 16, 17, 8 & 9, from which  
a Beech 6 in. dia. bears N 16 W 7 lvs. dist. of  
a Do 12 " " " East 15 " "  
Land good for farming, timber the same

East On Random between Sec. 9 & 16, 55 N. R.R.E.

34.00 a Brook 50 lvs. wide C. S. W. on E. side Pine

40.00 Set temp. q. Sec. post

79.84 Intersected the N. S. line 82 lvs. S. of the corner.  
Land, timber &c. same as on the last mile.

West On true line between Sec. 9 & 16, 55 N. R.R.E.

39.92 Set q. Sec. post at apd dist. out true line from which  
a Beech 6 in. dia. bears N 16 W 8 lvs. dist. of  
a Maple 7 " " " N 44 W 4 " "

79.84 to Sec. corner.

North Between Sec. 8 & 9, 55 N. R.R.E. T.<sup>2</sup> Mer.

40.00 Set the q. Sec. post, from which  
a Beech 6 in. dia. bears N 13 E 7 lvs. dist. of  
a Do 8 " " " N 14 E 16 " "

58.00 a Chestnut 30 in. dia.

80.00 Set a post Cov. to Sec. 4, 5, 8 & 9, from which  
a Sugar 10 in. dia. bears N 30 W 23 lvs. dist. of  
an Ash 30 " " " N 5 W 27 " "

Land, timber &c. same as on the last mile

East On Random between Sec. 4 & 9, 55 N. R.R.E.

1.50 a Brook 12 lvs. wide C. S.

S5 N - R2 E. I<sup>nd</sup> Mer. Indiana

40.00 Set temp<sup>ly</sup> qf. Sec. post  
 43.00 a Brook 10 ltrs. wide Cr. S. E.  
 48.00 a do 40 ltrs. " " South  
 75.00 a do 12 ltrs. " " S. W.  
 79.10 Intersected the N. S. line 79 ltrs. S. of the corner  
 Land, timber &c. same as on the last mile.

---

Met Ontario line between Sec. 4 & 9, S5 N. R2 E  
 39.55 Set qf. Sec. post, at avg. dist. from which  
 a Sugar 10 in. dia. bran N68W7 ltrs. dist. of  
 a Beech 12 " " " N43E16 " "  
 79.10 to Sec. Cov.

---

North Between Sec. 4 & 5, S5 N. R2 E  
 1.00 a Brook 10 ltrs. wide Cr. S. E.  
 40.00 Set the qf. Sec. post, from which  
 a Beech 6 in. dia. bran N63W9 ltrs. dist. of  
 a do 9 " " " N11W18 " "  
 82.35 Intersected the N. boundary 4.54 ltrs. E. of the  
 corner, set a post Cov. to Sec. 4 & 5, from which  
 a Sugar 10 in. dia. bran N65W16 ltrs. dist. of  
 an Ironw. 6 " " " N57E22 " "  
 Land timber &c. same as on the last mile

---

North Between Sec. 31 & 32, S5 N. R2 E.  
 8.00 a Spring run 5 ltrs. wide Cr. S. E.  
 30.00 a Spring East  
 40.00 Set the qf. Sec. post, from which  
 a Sugar 8 in. dia. bran N76E25 ltrs. dist. of  
 a do 10 " " " N89W23 " "  
 80.00 Set a post Cov. to Sec. 29, 30, 31 & 32, from which  
 a Beech 12 in. dia. bran N70E8 ltrs. dist. of  
 a do 12 " " " N78E32 " "

55 N - R.R. E. I. Mer. Indiana

219

Good farming land, timber Poplar, Beech,  
Ash &c. undergrowth Spice.

---

East On Random, between Sec. 29 & 32, 55 N. R.R.E.  
40.00 left tempy. of. Sec. post  
50.50 a Brook 10 ltrs. wide Cr. East  
79.85 intersected the N.Y.S. line 12 ltrs. N. of the corner  
Land timber &c. same as on the last mile

---

West On true line between Sec. 29 & 32, 55 N. R.R.E.  
39.92 $\frac{1}{2}$  lft of. Sec. post at average dist. from which  
a Hickory 12 in. dia. bran N 60° W 10 ltrs. dist. of  
a Beech 20 " " " 180° E 14 " "  
79.85 to Sec. corner.

---

North Between Sec. 29 & 30, 55 N. R.R.E.  
34.00 a Beech 20 in. dia. bran  
40.00 left the of. Sec. post, from which  
a Beech 6 in. dia. bran N 7° W 10 ltrs. dist. of  
a Slo 20 " " " 147° E 20 " "  
80.00 left a post cor. to Sec. 19, 20, 29 & 30, from which  
a Sugar 10 in. dia. bran N 21° E 17 ltrs. dist. of  
a Beech 6 " " " 19° W 4 " "  
Land, timber &c. same as on the last mile

---

East on Random between Sec. 20 & 29, 55 N. R.R.E.  
40.00 left tempy. of. Sec. post,  
79.85 intersected the N.Y.S. line 30 ltrs. N. of the corner  
Land timber &c. same as on the last mile

---

West On true line between Sec. 20 & 29, 55 N. R.R.E.  
39.92 $\frac{1}{2}$  lft of. Sec. post, at average dist. from which  
a Beech 10 in. dia. bran N 78° E 7 ltrs. dist. of

75 N. R. 2 E. I<sup>nd</sup>. Mer. Indiana

a Beech 12 in. dia. bran N 60° W 15 lbs. dist. of  
79.85 to Section Corner.

North Between Sec. 19 & 20, 75 N. R. 2 E. I<sup>nd</sup>. Mer.

40.00 Set the qt. Sec. post, from which  
a Beech 16 in. dia. bran N 28° E 7 lbs. dist. of  
a Dogwood " " " N 15° W 9 " "

40.00 a Spring run Course W.

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which  
a Beech 20 in. dia. bran N 99° W 21 lbs. dist. of  
a Do 12 " " " N 35° E 10 " "

Land timber &c. same as on the last mile

East On Random between Sec. 17 & 20, 75 N. R. 2 E.

40.00 Set tempy. qt. Sec. post

79.92 Intersected the N. S. line 35 lbs. N. of the corner.  
Land timber &c. same as on the last mile.

West On true line between Sec. 17 & 20, 75 N. R. 2 E.

39.96 Set qt. Sec. post, at average dist. from which  
a Dogwood 6 in. dia. bran N 35° W 4 lbs. dist. of  
a Do 6 " " " N 64° E 27 " "

79.92 to Sec. Corner.

North Between Sec. 17 & 18, 75 N. R. 2 E. I<sup>nd</sup>. Mer.

40.00 Set the qt. Sec. post, from which  
an Ashwood 8 in. dia. bran N 15° W 7 lbs. dist. of  
a Gum 20 " " " N 89° W 9 " "

50.00 a W. Oak 20 " "

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which  
a Walnut 15 in. dia. bran N 15° W 16 lbs. dist. of  
a Sugar 5 " " " N 35° E 9 " "

Land timber &c. same as on the last mile.

223

55 N. R.R.E. I<sup>nd</sup>. Mer. Indiana

---

East On Random between Sec. 8 & 17, 55 N. R.R.E.  
40.00 Set tempf. q. Sec. post  
64.00 a Spring run 12 lbs. wide C.S.  
79.93 Intersected the N.Y.S. line 30 lbs. N. of the corner.  
Land rich, timber Sugar, Beech, Walnut &c.

---

West On true line between Sec. 8 & 17, 55 N. R.R.E.  
39.96% set the q. Sec. post at average dist. from which  
a Sugar 10 in. dia. bran N 39 97 16 lbs. dist. of  
an Elm 10 " " " 131 W 23 " "  
79.93 to Sec. corner.

---

North Between Sec. 7 & 8, 55 N. R.R.E.  
40.00 Set the q. Sec. post, from which  
a Sugar 8 in. dia. bran N 19 E 41 lbs. dist. of  
a Beech 20 " " " N 66 E 26 " "  
80.00 Set a post Cov. to Sec. 5, 6, 7 & 8, from which  
a Sassafras 8 in. dia. bran N 67 W 37 lbs. dist. of  
a Beech 20 " " " 186 E 28 " "  
Land timber &c. same as on the last mile

---

East On Random between Sec. 5 & 8, 55 N. R.R.E.  
40.00 Set tempf. q. Sec. post  
79.75 Intersected the N.Y.S. line 72 lbs. N. of the corner  
Land timber &c. same as on the last mile

---

West On true line between Sec. 5 & 8, 55 N. R.R.E.  
39.87% set q. Sec. post at average dist. from which  
a Beech 10 in. dia. bran N 66 W 14 lbs. dist. of  
a Loc 6 " " " 152 E 11 " "  
79.75 to the Sec. Cov.

---

North Between Sec. 5 & 6, 55 N. R.R.E.

55 N. R.R. E. I.<sup>nd</sup> Mer. Indiana

- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
an Elm 12 in. diam. bran N 54° W 17 lbs. dist. of  
a Sugar 10 " " " 123 W 24 " "  
80.95 Intersected the N. boundary 525 lbs. S. of the  
Corner - Set a post Cor. to Sect. 5 1/2, from which  
a Beech 6 in. diam. bran N 40° W 9 lbs. dist. of  
a Do - " " " 188 E 7 " "  
Land rich and rolling.
- 

- West Between Sect. 6 1/2, 55 N. R.R. E. I.<sup>nd</sup> Mer.  
40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Beech 10 in. diam. bran N 53° W 5 lbs. dist. of  
a Hickory 10 " " " N 74° W 9 " "  
69.25 Intersected the N. boundary 70 lbs. S. of the Corner  
Set a post Cor. to Sect. 6 1/2, from which  
a Sugar 10 in. diam. bran N 50° W 8 lbs. dist. of  
a Beech 8 " " " 170 E 11 " "  
Land rich, timber Sugar, Beech &c. under <sup>the</sup> Spice.
- 

- West Between Sect. 7 1/2, 55 N. R.R. E.  
27.80 a W. Ash 20 in. diam.  
40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Beech 20 in. diam. bran N 48° W 6 lbs. dist. of  
a Do 20 " " " N 66 E 20 " "  
69.50 Intersected the N. boundary 66 lbs. S. of Corner  
Set a post Cor. to Sect. 7 1/2, from which  
a Sugar 20 in. diam. bran N 59° W 32 lbs. dist. of  
a Beech 12 " " " 133 E 11 " "  
Land rich and level.
- 

- West Between Sect. 18 & 19, 55 N. R.R. E.  
22.50 a Beech 20 in. diam.  
40.00 Set the q<sup>r</sup>. Sec. post, from which

223

55 N - R 2 E. I. Mer. Indiana

- a Beech 6 in. dia. bran N 26 E 5 deg. dist. of  
 a do 10 " " " 186 W 32 " "  
 58.20 a Brook 12 lbs. wide Cr. S. W.  
 70.55 Intersected the N. boundary 43 lbs. S. of the corner  
 Set a post Cov. to Sect. 18 & 19, from which  
 a Beech 24 in. dia. bran N 37 E 6 deg. dist. of  
 a do 6 " " " 152 W 33 " "  
 Over hilly land, timber Oak and Hickory
- 

- West Between Sect. 19 & 30, 55 N. R 2 E.
- 40.00 Set the q. Sec. post, from which  
 a Beech 18 in. dia. bran N 53 E 19 deg. dist. of  
 a do 20 " " " 172 W 28 " "  
 70.95 Intersected the W. boundary 18 lbs. S. of the corner  
 Set a post Cov. to Sect. 19 & 30, from which  
 a Dogwood 6 in. dia. bran N 68 E 41 deg. dist. of  
 a Beech 20 " " " 173 E 14 " "  
 Land rich & level.
- 

- West Between Sect. 30 & 31, 55 N. R 2 E.
- 35.00 a Spring run Cr. S. W.  
 40.00 Set the q. Sec. post, from which  
 a sugar 12 in. dia. bran N 57 E 16 deg. dist. of  
 a W. Oak 10 " " " 155 W 16 " "  
 63.00 a Brook 12 lbs. wide Cr. S. W.  
 71.55 Intersected the W. boundary 49 lbs. East (<sup>supposed</sup>  
 to be S.) of the post, set a post Cov. to Sect. 30 & 31, from  
 which a sugar 10 in. dia. bran S 3 W 40 deg. dist. of  
 a Beech 20 " " " 176 W 11 " "  
 Land broken & rich.
- Surveyed by Arthur Henrie, D.S. in 1810)
- 

Comp?

*2074*

I Certify that the foregoing transcript of field notes  
of Township N<sup>o</sup>. 5 N, Range N<sup>o</sup>. 2 E. 2<sup>d</sup> Mer. Indiana  
has been compared with the original notes in this  
Office, and found to be correct.

Surveyor General's Office  
Cincinnati Feb. 20<sup>th</sup> 1841 Q. S. Geairns  
Sur. Gen.